

/ Descriptions


TO-220F PNP

/ Features

1

/ Applications

/ Equivalent Circuit



/ Pinning




/ h_{FE} Classifications & Marking

	~	~


		~	

						μ
						μ


/ Electrical Characteristic Curve



/ Package Dimensions



/ Marking Instructions



BR

A2050

R:

h_{FE}

A diagram showing a horizontal bar divided into three colored segments: a light blue segment on the left, a dark blue segment in the middle, and a light green segment on the right. The light blue segment is labeled 'a' and the dark blue segment is labeled 'b'. The light green segment is labeled 'c' and contains a small red square. The entire bar is labeled 'c' at the bottom right.

 $\pm$ $\pm$ $\pm$ $\pm$ $\pm$ $\pm$

封装形式	包装数量					包装尺寸		
	Units/Bag 只/袋	Bags/Inner Box 袋/盒	Units/Inner Box 只/盒	Inner Boxes/Outer Box 盒/箱	Units/Outer Box 只/箱	Bag 袋	Inner Box 盒	Outer Box 箱
TO-220/F	200	10	2,000	5	10,000	135×190	237×172×102	560×245×195

封装形式	包装数量					包装尺寸		
	Units/Tube 只/套管	Tubes/Inner Box 套管/盒	Units/Inner Box 只/盒	Inner Boxes/Outer Box 盒/箱	Units/Outer Box 只/箱	Tube 套管	Inner Box 盒	Outer Box 箱
TO-220/F	50	20	1,000	5	5,000	532×31.4×5.5	555×164×50	575×290×180

6 6