


/ Absolute Maximum Ratings(Ta=25)

	℃		
			℃
		~	℃


/ Electrical Characteristics(Ta=25)

		μ				
		μ				
						μ
						μ

/ Electrical Characteristic Curve



/ Package Dimensions






Figure 1 is a line graph showing the effect of the concentration of the inhibitor on the rate of polymerization. The x-axis is labeled "Conc. of Inhibitor (mole/l)" and ranges from 0 to 1.0. The y-axis is labeled "Rate of Polymerization (mole/l-hr)" and ranges from 0 to 1.0. The curve starts at (0, 1.0) and decreases as the concentration of the inhibitor increases, reaching approximately 0.2 at 1.0 mole/l. A vertical dashed line is drawn at 0.5 mole/l, and a horizontal dashed line is drawn at 0.5 mole/l-hr, intersecting the curve.

$$\pm \qquad \qquad \qquad \pm \qquad \qquad \qquad \pm \qquad \qquad \qquad \pm$$
 $\pm \qquad \qquad \qquad \pm \qquad \qquad \qquad ^\circ\text{C}$

封装形式	包装数量					包装尺寸		
	只袋	袋盒	只盒	盒箱	只箱	袋	盒	箱

封装形式	包装数量					包装尺寸		
	只 套管	套管 盒	只 盒	盒 箱	只 箱	套管	盒	箱

6 6