

/ Descriptions


/ Features

1 1


/ Applications

DC/DC

/ Equivalent Circuit




/ Pinning




/ h_{FE} Classifications & Marking

/ Electrical Characteristic Curve



/ Package Dimensions




单位: mm

Dimensions In Millimeters				Dimensions in Inches			
Symbol		Min	Max	Symbol		Min	Max
	A	0.20	0.25		A	0.008	0.010
	A1	0.10	0.13		A1	0.004	0.005
	B	0.10	0.13		B	0.004	0.005
	B1	0.05	0.06		B1	0.002	0.0025
	C	0.10	0.13		C	0.004	0.005
	C1	0.05	0.06		C1	0.002	0.0025
	D	0.10	0.13		D	0.004	0.005
	D1	0.05	0.06		D1	0.002	0.0025

1-20

/ Marking Instructions



4N65

$$\frac{+}{-} \qquad \frac{+}{-} \qquad \frac{+}{-} \qquad \frac{+}{-}$$
$$\pm \quad \pm$$

封装形式	包装数量					包装尺寸		
	Units/Bag 只/袋	Bags/Inner Box 袋/盒	Units/Inner Box 只/盒	Inner Boxes/Outer Box 盒/箱	Units/Outer Box 只/箱	Bag 袋	Inner Box 盒	Outer Box 箱
TO-251	1,000	10	10,000	5	50,000	135×190	237×172×102	560×245×195

封装形式	包装数量					包装尺寸		
	Units/Tube 只/套管	Tubes/Inner Box 套管/盒	Units/Inner Box 只/盒	Inner Boxes/Outer Box 盒/箱	Units/Outer Box 只/箱	Tube 套管	Inner Box 盒	Outer Box 箱
TO-251/252	75	48	3,600	5	18,000	526×20.5×5.25	555×164×50	575×290×180

6 6