



TO-220

NPN




[illegible][illegible]





TD-220

单位: mm



Symbol	Min	Max	Symbol	Min	Max
R	3.56	3.64	B	6.3	6.7
L	15.7	16.1	B1	9.0	9.4
b	12.6	13.6	C1	2.2	2.6
C	0.6	0.7	C2	0.4	0.5
4:7	2.22	2.34	C3	0.4	0.5
	1.25	1.45			






± ± ± ±

± ±

封装形式	包装数量					包装尺寸		
	Units/Bag 只/袋	Bags/Inner Box 袋/盒	Units/Inner Box 只/盒	Inner Boxes/Outer Box 盒/箱	Units/Outer Box 只/箱	Bag 袋	Inner Box 盒	Outer Box 箱
TO-220/F	200	10	2,000	5	10,000	135×190	237×172×102	560×245×195

封装形式	包装数量					包装尺寸		
	Units/Tube 只/套管	Tubes/Inner Box 套管/盒	Units/Inner Box 只/盒	Inner Boxes/Outer Box 盒/箱	Units/Outer Box 只/箱	Tube 套管	Inner Box 盒	Outer Box 箱
TO-220/F	50	20	1,000	5	5,000	532×31.4×5.5	555×164×50	575×290×180

3MHZ



加湿器原理图

- | | |
|---|-----------------------|
| 1 | $\leq 3.0\text{MHZ}$ |
| 2 | $\leq 40\text{V}$ |
| 3 | $\leq 45\text{W}$ |
| 4 | HFE 60-70,70-80,80-90 |

- | | | | | | |
|---|-----|-----|-------|-------|-------|
| 1 | HFE | HFE | 60-70 | 70-80 | 80-90 |
| 2 | HFE | | | | |

- | | |
|---|---|
| 1 | Y |
| 2 | |

- | | |
|-----|-----------------------|
| 3 | |
| 3.1 | |
| 3.2 | $\leq 5\text{kgf.cm}$ |
| 3.3 | PCB |
| 3.4 | |
| 3.5 | |