

/ Descriptions

TO-220F


/ Features

/ Applications

OR-ing

DC-DC

/ Equivalent Circuit



/ Pinning



/ h_{FE} Classifications & Marking

/ Absolute Maximum Ratings(Ta=25)

		~	






/ Electrical Characteristics(Ta=25)

		℃				
		℃				
		℃				
	()					


/Notes

1.
2.


/ Electrical Characteristic Curve



/ Package Dimensions



/ Marking Instructions



:

Figure 1 is a line graph showing the change in the number of individuals in the population of the common reed (*Phragmites australis*) over time (Year) for two groups: 'Control' (solid line) and 'Recovery' (dashed line). The Y-axis represents the number of individuals (0 to 1000). The X-axis represents the year (1980 to 2000). The 'Control' group shows a steady increase from approximately 100 in 1980 to 1000 in 1995, followed by a sharp decline to about 200 by 2000. The 'Recovery' group shows a similar trend but with a much lower peak, reaching approximately 400 in 1995 and declining to about 100 by 2000.

 $\pm$ $\pm$ $\pm$ $\pm$ $\pm$ $\pm$

封装形式	包装数量					包装尺寸		
	Units/Bag 只/袋	Bags/Inner Box 袋/盒	Units/Inner Box 只/盒	Inner Boxes/Outer Box 盒/箱	Units/Outer Box 只/箱	Bag 袋	Inner Box 盒	Outer Box 箱
TO-220/F	200	10	2,000	5	10,000	135×190	237×172×102	560×245×195

封装形式	包装数量					包装尺寸		
	Units/Tube 只/套管	Tubes/Inner Box 套管/盒	Units/Inner Box 只/盒	Inner Boxes/Outer Box 盒/箱	Units/Outer Box 只/箱	Tube 套管	Inner Box 盒	Outer Box 箱
TO-220/F	50	20	1,000	5	5,000	532×31.4×5.5	555×164×50	575×290×180

6 6