

MBR3060CT


/ Absolute Maximum Ratings(Ta=25)

	θ		

/ Electrical Characteristics(Ta=25)

						μ

/ Electrical Characteristic Curve



Technical drawing of a mechanical part, showing a cross-section and a side view. The drawing includes dimensions and a table of values.

Dimensions and labels in the drawing:

- A : Horizontal distance from the left edge to the center of the hole.
- C : Horizontal distance from the right edge to the center of the hole.
- L : Total length of the part.
- $B1$: Width of the part.
- 3° : Chamfer angle.
- a : Distance from the right edge to the center of the hole.
- a_1 : Distance from the left edge to the center of the hole.
- $b1$: Width of the part.
- $C1$: Horizontal distance from the left edge to the center of the hole.
- C : Horizontal distance from the right edge to the center of the hole.
- 3° : Chamfer angle.

Table of dimensions in millimeters:

Symbol		Dimensions in millimeters		Symbol		Dimensions in millimeters	
		Min	Max			Min	Max
A	9.8	9.8	10.2	C	1.2	1.4	
R	3.5	3.5	3.6	B	6.3	6.7	
9.0	9.4			15.7	16.1		
2.2	2.6			12.6	13.0		
0.4	0.6			1.22	1.32		
0.2	0.25			0.2	0.25		

/ Marking Instructions



BR

MBR3060

CT:

$\pm$ $\pm$

6 6